

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/803,015	03/17/2004	Kimihiro Kikuchi	9281-4762	5124
7590 04/18/2007 Brinks Hofer Gilson & Lione P.O. Box 10395			EXAMINER	
			LAZORCIK, JASON L	
Chicago, IL 60610			ART UNIT	PAPER NUMBER
			1731	
			· · · · · · · · · · · · · · · · · · ·	
SHORTENED STATUTOR	RY PERIOD OF RESPONSE	MAIL DATE	DELIVERY MODE	
3 MONTHS		04/18/2007	PAPER	

Please find below and/or attached an Office communication concerning this application or proceeding.

If NO period for reply is specified above, the maximum statutory period will apply and will expire 6 MONTHS from the mailing date of this communication.

		Application No.	Applicant(s)		
Office Action Summary		10/803,015	KIKUCHI, KIMIHIRO		
		Examiner	Art Unit		
		Jason L. Lazorcik	1731		
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover sheet with the c	orrespondence address		
WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANSIONS of time may be available under the provisions of 37 CFR 1.13 SIX (6) MONTHS from the mailing date of this communication. Operiod for reply is specified above, the maximum statutory period were to reply within the set or extended period for reply will, by statute, reply received by the Office later than three months after the mailing ed patent term adjustment. See 37 CFR 1.704(b).	ATE OF THIS COMMUNICATION 36(a). In no event, however, may a reply be tim vill apply and will expire SIX (6) MONTHS from , cause the application to become ABANDONEI	I. lely filed the mailing date of this communication. D (35 U.S.C. § 133).		
Status					
1)⊠	Responsive to communication(s) filed on <u>01 February 2007</u> .				
2a)⊠	☑ This action is FINAL. 2b) ☐ This action is non-final.				
3)	3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits				
	closed in accordance with the practice under Ex parte Quayle, 1935 C.D. 11, 453 O.G. 213.				
Dispositi	ion of Claims				
5)□ 6)⊠ 7)□	Claim(s) 1-4 and 6-19 is/are pending in the app 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-4, and 6-19 is/are rejected. Claim(s) is/are objected to. Claim(s) are subject to restriction and/or	vn from consideration.			
Applicati	on Papers				
10)	The specification is objected to by the Examiner The drawing(s) filed on is/are: a) acce Applicant may not request that any objection to the o Replacement drawing sheet(s) including the correcti The oath or declaration is objected to by the Ex	epted or b) objected to by the Eddrawing(s) be held in abeyance. See ion is required if the drawing(s) is obj	e 37 CFR 1.85(a). ected to. See 37 CFR 1.121(d).		
Priority u	ınder 35 U.S.C. § 119				
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the prior application from the International Bureau see the attached detailed Office action for a list of	s have been received. s have been received in Application ity documents have been receive (PCT Rule 17.2(a)).	on No ed in this National Stage		
Attachment		-			
2) Notice 3) Inform	e of References Cited (PTO-892) e of Draftsperson's Patent Drawing Review (PTO-948) nation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	4) Interview Summary Paper No(s)/Mail Da 5) Notice of Informal Pa	te		

Art Unit: 1731

Claim Rejections - 35 USC § 102

The following is a quotation of the appropriate paragraphs of 35 U.S.C. 102 that form the basis for the rejections under this section made in this Office action:


A person shall be entitled to a patent unless -

(b) the invention was patented or described in a printed publication in this or a foreign country or in public use or on sale in this country, more than one year prior to the date of application for patent in the United States.

Claims 1-2, 4, 8, 12-16, 18, and 19 are rejected under 35 U.S.C. 102(b) as being anticipated by Bartman (US 4,891,053).

Bartman teaches positioning a lens blank into a holder consisting of two cylindrical rings which define an annular or "concentric" void/"cavity" in an inner circumferential surface. Restated with reference to the Figure 5 excerpt below, the cylindrical holder is understood to comprise an annular gap (9) or cavity in the inner surface (See notation in Fig 5 below). The lens blank and holder are heated to the working temperature of the glass blank or "the softening temperature" at which point they are press molded. During said press molding, a portion of the optical element is extruded into and retained by the void part of the holder, said extruded portion extending outwardly from an outer edge of the optical element. This projected portion (see element (25) in Fig 6 below) is broadly construed as a "hemispherical section of the optical-element material".

Art Unit: 1731



Bartman indicates that an excess of glass material is utilized in order to allow for extrusion during the pressing operation (Column 2, Lines 12-13) and that the annular gap between the rings can be determined so that an effectively high pressure can be realized during the moulding process (Column 1, line 68-Column 2, Line 7). In other words, the "volume of the void" and therefore the flow resistance of the holder material are adjustable in order to realize an adequate pressure during the molding cycle.

With respect to claims 10, 12, and 18, it is understood that a cylindrical holder inherently comprises "an outer portion forming an outer circumferential surface", that the holder material has an inherent resistance to flow, that the glass optical element material is inherently characterized by "a viscosity", a glass transition temperature and a glass softening temperature. Further in accord with the fundamental laws governing fluid dynamics, "the flow resistance of the holder material" and specifically the resistance to flow experienced by the optical element material in the annular cavity

Art Unit: 1731

necessarily and inherently varies inversely with the viscosity of the optical element material.

Regarding Claims 16 and 19, Claim 1 recites the limitation that "the materials are heated to their own softening temperature" in line 7-8 of the identified claim. Therefore said optical-element material is inherently heated to "a temperature about 30 degrees lower than the softening temperature of the cylindrical holder material" as set forth in Claim 16 and to "a temperature between the glass transition and the glass softening temperature of the optical element material" as set forth in Claim 19.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claim 17 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bartman (US 4,891,053) as applied to claim 15 above. Specifically as indicated in the rejection

Art Unit: 1731

under 35 U.S.C. 102(b) above, the lens blank and holder material are heated to the working temperature of the glass blank. Although the instant reference does not specifically limit the holder material properties in the manner set forth in the instant claim, it would have been obvious to one of ordinary skill in the art to utilize a material presenting a softening temperature at least nominally higher than that of the optical element material being deformed. This would have been an obvious choice for one of ordinary skill seeking to maintain structural integrity of the holder material while the glass is deformed through the elevated temperature pressing operation. Therefore absent any compelling and unexpected results to the contrary, it is the Examiners position that it would have been obvious for one of ordinary skill to select an optical element holder material presenting a softening temperature "about 30 degrees higher than the softening temperature of the optical-element material."

Claims 3 is rejected under 35 U.S.C. 103(a) as being unpatentable over Bartman (US 4,891,053) as applied to Claim 1 under 35 USC 102(b) above and in further view of Angenent (US 4,895,585).

With respect to claim 3, Bartman fails to explicitly set forth the limitation wherein the cylindrical holder material is press molded in a radial direction. Angenent teaches the use of a supporting ring (see element (5) Figs 1a-c) which serves as a temporary abutment to improve the reproducibility of the process. (Columnm 1, Lines 58-64). It would have been obvous to one of ordinary skill in the art at the time of the invention to implement such a supporting ring to act as a temporary abutment in the Bartman process. This would have been an obvious modification to the Bartman process to one

Page 6

seeking to insure proper alignment of the holder materials during the press operation and thereby to "improve the reproducibility of the process".

Claims 6, 7, and 9-11 are rejected under 35 U.S.C. 103(a) as being unpatentable over Bartman (US 4,891,053) as applied to claim 1 under 35 USC 102(b) above, and further in view of Neid (US 5,290,333). Bartman is silent regarding the presence of micropores in the void part" as set forth in claim 6 or "micro-pores on the inner circumferential surface" as set forth in Claim 7 for the purpose of retaining the projected portion of the optical element. Neid teaches that the interlocking structure that arises when a glass penetrates the pores or cavities of a substrate "provides further mechanical bond strength by virtue of "the interlocking nature of the structure" (column 2, Lines 9-13). It would therefore have been obvious to one of ordinary skill at the time of the invention to provide cavities or micropores on the inner circumferential surface or the surface of the concentric void in the Bartman process in order to provide such an interlocking structure between the extruded glass and the void surface. This would have been an obvious modification for one of ordinary skill seeking to enhance the structural stability and durability of the resulting structure by providing an interlocking structure.

Regarding Claim 9, projected portion of optical element material (see element (25) in Fig 6 above) disclosed by Bartman is broadly construed as a "hemispherical section of the optical-element material"

Art Unit: 1731

Regarding Claim 10, it is understood that a cylindrical holder disclosed by Bartman inherently comprises "an outer portion forming an outer circumferential surface", as set forth in the under 35 USC 102(b) above.

Regarding Claim 11, Bartman teaches that the two rings are made of an Ni alloy (column 3, lines 59-60) or "made from an anti-magnetic material" (column 4, Lines 4-5). It is commonly appreciated in the art that Austenitic stainless steel (e.g. 306 and 316 stailess steel) contain between 8 and 20 percent. Nickel and are therefore broadly considered nickel alloys (http://www.contractorsunlimited.co.uk/toolbox/stainless-steel.shtml). Further, Aluminum is commonly appreciated in the art as an anti-magnetic or non-magnetic metal. It would have therefore been obvious to one of ordinary skill in the art at the time of the invention to utilize 306 or 316 stainless steel or aluminum as the material of construction for the "holder material".

Response to Arguments

Applicant's arguments filed February 1, 2007 have been fully considered but they are not persuasive. Specifically, Applicants arguments asserting that Bartman fails to suggest or to disclose a holder having a cavity for retaining a projected portion of an optical element have been fully addressed both in the previous office action dated November 14, 2006 as well as in the instant rejection above. Specifically as presented in the Figures 5 and 6, the an annular gap (9) or "cavity" of the optical holder functions to retain a portion of an optical element upon pressing.

Conclusion

THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jason L. Lazorcik whose telephone number is (571) 272-2217. The examiner can normally be reached on Monday through Friday 8:30 am to 5:00pm.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Steven Griffin can be reached on (571) 272-1189. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Page 9

TECHNOLOGY CEMTER 1700

Art Unit: 1731

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

JLL